

Wilson Lake Data Listing (2014)

Date	Depth (meters)	Secchi Disk Transparency (meters)	Chlorophyll a (ppb)	Dissolved Color (CPU)	Total Phosphorus (ppb)	Carbon Dioxide (mg/L)	Alkalinity gray end pt. @ pH 5.1 (mg/L)	Alkalinity pink end pt. @ pH 4.6 (mg/L)	Turbidity (NTU)
6/2/2014	13.0	-----	-----	-----	10.6	-----	-----	-----	-----
6/2/2014	0-4.5	7.3	3.1	21.3	6.9	-----	10.4	10.7	0.5
6/16/2014	12.5	-----	-----	-----	11.8	-----	-----	-----	-----
6/16/2014	0-4.0	9.0	2.1	20.4	5.2	-----	10.3	11.0	0.7
6/30/2014	13.5	-----	-----	-----	11.1	12.5	10.1	10.6	0.9
6/30/2014	0-4.0	7.2	1.2	15.2	5.6	-----	10.5	10.9	0.8
7/14/2014	11.0	-----	-----	-----	10.2	9.0	10.5	11.0	0.9
7/14/2014	0-4.0	6.7	1.5	16.1	5.4	-----	11.2	11.7	0.7
7/31/2014	10.5	-----	-----	-----	10.9	11.5	11.0	11.3	1.1
7/31/2014	0-4.5	7.0	2.1	14.3	7.2	-----	11.0	11.3	0.5
8/11/2014	13.5	-----	-----	-----	12.8	9.6	14.4	14.6	3.0
8/11/2014	0-4.5	7.3	1.5	13.4	7.7	-----	11.2	11.6	0.9
8/25/2014	13.0	-----	-----	-----	14.7	12.9	17.0	17.8	2.2
8/25/2014	0-5.0	7.1	2.1	15.4	6.4	-----	10.5	11.0	0.6
9/8/2014	14.3	-----	-----	-----	15.4	13.3	19.2	19.6	3.4
9/8/2014	0-5.0	7.4	1.7	15.8	6.8	-----	11.3	11.7	0.4
9/22/2014	11.3	-----	-----	-----	10.9	8.8	16.1	16.8	2.7
9/22/2014	0-7.5	7.8	2.8	17.5	6.3	-----	11.9	12.3	0.4
10/6/2014	14.0	-----	-----	-----	18.3	13.6	24.0	25.1	1.1
10/6/2014	0-8.0	8.2	2.5	17.5	7.1	-----	10.8	11.4	0.5

Wilson Lake Data Listing (2014)

Date	Depth	Temperature (°C)	Dissolved Oxygen (mg/L)	Dissolved Oxygen (% Saturation)	Specific Conductivity (μ S/cm)	pH (standard units)	Oxidation Reduction Potential (mV)
6/2/2014	0.1	18.6	9.6	103.0	72.9	7.3	338.5
6/2/2014	0.5	18.5	9.6	102.7	72.9	7.3	338.5
6/2/2014	1.0	18.3	9.7	102.9	72.9	7.3	338.5
6/2/2014	1.5	18.0	9.7	102.8	72.8	7.3	338.8
6/2/2014	2.0	17.8	9.8	103.3	72.8	7.3	341.6
6/2/2014	2.5	17.6	9.8	102.6	72.7	7.3	342.7
6/2/2014	3.0	17.4	9.9	103.0	72.7	7.2	344.6
6/2/2014	3.5	17.0	9.8	101.1	72.8	7.2	348.4
6/2/2014	4.0	16.3	9.8	100.0	72.4	7.1	353.8
6/2/2014	4.5	15.9	9.8	98.8	72.5	7.0	357.0
6/2/2014	5.0	15.3	9.8	97.5	72.4	6.9	362.0
6/2/2014	5.5	13.7	10.1	97.0	71.3	6.7	370.2
6/2/2014	6.0	12.7	10.1	95.3	70.7	6.5	378.1
6/2/2014	6.5	11.5	10.1	92.6	70.5	6.5	380.8
6/2/2014	7.0	10.7	10.3	92.8	70.3	6.5	382.8
6/2/2014	7.5	10.3	10.0	89.2	70.3	6.4	384.6
6/2/2014	8.0	10.1	9.9	88.2	70.2	6.4	385.9
6/2/2014	8.5	9.8	10.7	94.3	70.2	6.4	385.9
6/2/2014	9.0	9.5	10.6	92.4	70.2	6.4	385.6
6/2/2014	9.5	9.3	10.4	90.2	70.2	6.4	386.2
6/2/2014	10.0	9.0	9.4	81.8	70.3	6.3	387.8
6/2/2014	10.5	9.0	9.2	79.5	70.3	6.2	388.9
6/2/2014	11.0	8.9	8.6	74.2	70.3	6.2	390.0
6/2/2014	11.5	8.8	8.5	73.1	70.4	6.2	390.6
6/2/2014	12.0	8.8	8.4	72.2	70.4	6.1	390.5
6/2/2014	12.5	8.8	8.6	73.8	70.4	6.2	390.1
6/2/2014	13.0	8.8	8.1	69.6	70.4	6.2	390.0
6/2/2014	13.5	8.7	7.7	65.8	70.4	6.1	390.1
6/16/2014	0.1	20.9	7.8	87.3	75.3	7.3	329.2
6/16/2014	0.5	20.5	8.0	88.4	75.2	7.2	340.4
6/16/2014	1.0	20.2	8.0	87.9	75.2	7.2	345.7
6/16/2014	1.5	20.1	8.0	87.8	75.2	7.2	351.8
6/16/2014	2.0	20.0	7.8	86.3	75.1	7.2	354.6
6/16/2014	2.5	20.0	7.8	86.3	75.2	7.2	355.9
6/16/2014	3.0	19.9	7.6	83.7	75.2	7.2	357.7
6/16/2014	3.5	19.8	7.9	86.3	75.2	7.2	359.1
6/16/2014	4.0	19.5	8.0	86.6	75.1	7.1	363.2
6/16/2014	4.5	18.9	8.1	87.1	74.9	7.0	370.3
6/16/2014	5.0	15.8	8.7	87.6	73.1	6.7	390.1
6/16/2014	5.5	14.1	8.7	84.5	72.1	6.6	399.6
6/16/2014	6.0	13.1	8.9	84.3	71.6	6.5	403.2
6/16/2014	6.5	11.9	8.5	78.4	71.3	6.4	407.4
6/16/2014	7.0	11.4	8.2	75.3	71.3	6.3	408.3
6/16/2014	7.5	10.9	7.9	71.6	71.3	6.3	408.0
6/16/2014	8.0	10.3	7.8	69.3	71.3	6.3	407.2

Wilson Lake Data Listing (2014)

Date	Depth	Temperature (°C)	Dissolved Oxygen (mg/L)	Dissolved Oxygen (% Saturation)	Specific Conductivity (μ S/cm)	pH (standard units)	Oxidation Reduction Potential (mV)
6/16/2014	8.5	9.8	7.4	65.1	71.2	6.5	392.0
6/16/2014	9.0	9.6	6.9	60.1	71.2	6.3	395.6
6/16/2014	9.5	9.4	6.2	54.0	71.3	6.3	395.7
6/16/2014	10.0	9.3	6.0	52.3	71.4	6.3	394.5
6/16/2014	10.5	9.2	5.7	49.3	71.4	6.3	393.5
6/16/2014	11.0	9.1	5.6	48.6	71.4	6.3	392.7
6/16/2014	11.5	9.0	4.9	42.3	71.5	6.2	394.0
6/16/2014	12.0	8.9	4.6	39.7	71.6	6.2	394.5
6/16/2014	12.5	8.9	4.6	39.4	71.6	6.2	394.2
6/16/2014	13.0	8.9	4.4	38.2	71.6	6.2	393.8
6/30/2014	0.1	25.1	7.3	88.9	76.8	7.0	305.9
6/30/2014	0.5	24.6	7.5	89.6	76.7	7.0	307.8
6/30/2014	1.0	24.2	7.5	89.1	76.6	7.0	311.6
6/30/2014	1.5	24.1	7.4	88.2	76.6	7.0	313.0
6/30/2014	2.0	23.8	7.4	87.9	76.5	7.1	313.9
6/30/2014	2.5	23.6	7.4	87.8	76.5	7.1	314.4
6/30/2014	3.0	23.1	7.4	86.3	76.6	7.1	316.0
6/30/2014	3.5	22.4	7.6	87.5	76.4	7.1	317.0
6/30/2014	4.0	22.2	7.6	86.7	76.4	7.1	318.1
6/30/2014	4.5	20.9	7.9	88.0	76.2	7.0	322.5
6/30/2014	5.0	19.3	8.6	93.2	74.7	7.0	324.8
6/30/2014	5.5	17.0	9.3	95.8	73.3	6.8	331.1
6/30/2014	6.0	14.0	8.8	85.0	71.9	6.5	341.7
6/30/2014	6.5	12.9	7.9	74.7	71.8	6.3	346.0
6/30/2014	7.0	12.0	7.7	71.5	71.5	6.3	346.0
6/30/2014	7.5	11.4	7.3	67.1	71.4	6.2	345.8
6/30/2014	8.0	10.8	7.1	64.2	71.4	6.2	345.1
6/30/2014	8.5	10.3	6.4	57.1	71.4	6.2	344.4
6/30/2014	9.0	10.1	6.1	54.3	71.3	6.2	342.3
6/30/2014	9.5	9.8	5.1	45.0	71.4	6.1	342.3
6/30/2014	10.0	9.6	4.7	41.2	71.4	6.1	339.6
6/30/2014	10.5	9.4	3.6	31.6	71.7	6.1	339.7
6/30/2014	11.0	9.3	3.2	28.1	71.7	6.1	338.1
6/30/2014	11.5	9.2	2.9	25.5	71.8	6.1	336.6
6/30/2014	12.0	9.2	2.9	24.9	71.8	6.0	334.3
6/30/2014	12.5	9.2	3.1	26.5	71.9	6.0	332.6
6/30/2014	13.0	9.2	2.8	24.5	72.0	6.1	330.8
6/30/2014	13.5	9.2	2.9	25.0	72.0	6.1	327.9
6/30/2014	14.0	9.2	2.9	25.2	72.0	6.1	325.1
7/14/2014	0.1	25.8	8.0	98.6	76.4	6.8	339.9
7/14/2014	0.5	25.9	7.9	97.1	76.5	6.9	339.4
7/14/2014	1.0	25.8	7.9	97.3	76.5	6.9	337.7
7/14/2014	1.5	25.4	8.0	97.9	76.4	6.9	335.9
7/14/2014	2.0	25.3	7.9	95.7	76.4	6.9	336.6
7/14/2014	2.5	25.2	7.9	96.5	76.3	6.9	335.9

Wilson Lake Data Listing (2014)

Date	Depth	Temperature (°C)	Dissolved Oxygen (mg/L)	Dissolved Oxygen (% Saturation)	Specific Conductivity (μ S/cm)	pH (standard units)	Oxidation Reduction Potential (mV)
7/14/2014	3.0	25.2	7.8	94.7	76.5	6.9	334.4
7/14/2014	3.5	25.0	7.8	94.7	76.3	6.9	332.1
7/14/2014	4.0	25.0	7.8	94.1	76.3	6.9	330.1
7/14/2014	4.5	24.3	8.1	97.2	76.1	6.9	329.5
7/14/2014	5.0	20.8	9.3	104.0	74.3	6.8	335.6
7/14/2014	5.5	18.0	10.0	105.6	72.6	6.6	343.3
7/14/2014	6.0	16.2	9.8	99.8	71.8	6.4	349.7
7/14/2014	6.5	14.1	9.0	87.6	71.2	6.1	356.5
7/14/2014	7.0	12.6	7.6	71.0	71.1	5.8	360.5
7/14/2014	7.5	11.8	6.9	63.5	70.8	5.7	360.0
7/14/2014	8.0	11.2	6.2	56.7	70.7	5.7	356.0
7/14/2014	8.5	10.8	5.5	49.5	70.8	5.7	352.0
7/14/2014	9.0	10.4	4.9	43.4	70.8	5.7	349.9
7/14/2014	9.5	10.0	4.0	35.6	71.1	5.7	344.3
7/14/2014	10.0	9.8	3.1	27.6	71.1	5.7	342.2
7/14/2014	10.5	9.7	2.8	24.4	71.5	5.7	339.7
7/14/2014	11.0	9.5	2.1	18.6	72.4	5.8	333.1
7/31/2014	0.1	24.4	7.0	82.9	76.4	7.3	212.8
7/31/2014	0.5	24.4	6.9	82.8	76.4	7.4	226.6
7/31/2014	1.0	24.3	6.9	82.3	76.4	7.4	236.6
7/31/2014	1.5	24.3	6.9	82.3	76.4	7.4	245.4
7/31/2014	2.0	24.3	6.9	82.4	76.4	7.4	250.9
7/31/2014	2.5	24.2	6.9	82.5	76.4	7.3	256.3
7/31/2014	3.0	24.1	6.9	81.7	76.4	7.3	264.2
7/31/2014	3.5	24.1	6.8	81.0	76.5	7.3	268.6
7/31/2014	4.0	23.9	6.8	80.6	76.2	7.3	273.1
7/31/2014	4.5	23.5	6.9	81.1	76.2	7.2	278.0
7/31/2014	5.0	22.7	7.3	84.5	75.7	7.2	285.9
7/31/2014	5.5	20.4	8.1	89.6	74.2	7.1	292.4
7/31/2014	6.0	17.4	7.7	80.7	73.0	6.5	325.6
7/31/2014	6.5	15.4	7.6	75.9	72.1	6.4	328.7
7/31/2014	7.0	14.2	6.9	66.8	71.8	6.3	330.6
7/31/2014	7.5	13.0	5.3	50.0	71.9	6.2	336.9
7/31/2014	8.0	12.0	5.1	47.4	71.4	6.1	338.8
7/31/2014	8.5	11.0	3.8	34.2	71.5	6.1	341.3
7/31/2014	9.0	10.5	3.1	27.3	71.5	6.0	341.4
7/31/2014	9.5	10.2	2.1	18.4	73.0	6.0	340.4
7/31/2014	10.0	10.1	1.7	15.1	73.9	6.0	338.0
7/31/2014	10.5	9.9	1.4	12.0	75.0	6.0	335.1
7/31/2014	11.0	9.9	1.3	11.4	75.1	6.1	332.5
7/31/2014	11.5	9.8	1.3	11.5	75.0	6.1	329.2
7/31/2014	12.0	9.8	1.3		75.3	6.1	326.4
8/11/2014	0.1	25.4	7.2	87.8	77.0	6.8	360.8
8/11/2014	0.5	25.3	7.0	85.1	76.9	6.8	350.9
8/11/2014	1.0	24.8	7.1	85.0	76.9	6.9	342.4

Wilson Lake Data Listing (2014)

Date	Depth	Temperature (°C)	Dissolved Oxygen (mg/L)	Dissolved Oxygen (% Saturation)	Specific Conductivity (μ S/cm)	pH (standard units)	Oxidation Reduction Potential (mV)
8/11/2014	1.5	24.6	7.1	85.1	76.9	6.9	335.1
8/11/2014	2.0	24.6	7.0	83.9	76.9	6.9	332.6
8/11/2014	2.5	24.5	6.9	83.0	76.9	7.0	330.8
8/11/2014	3.0	24.4	6.7	80.2	76.9	7.0	327.0
8/11/2014	3.5	24.3	6.9	82.4	76.9	7.0	326.0
8/11/2014	4.0	23.9	6.9	81.9	76.7	7.0	323.6
8/11/2014	4.5	23.8	6.9	81.0	76.7	7.0	318.0
8/11/2014	5.0	22.6	7.1	82.2	76.0	6.9	318.3
8/11/2014	5.5	21.5	7.6	85.8	75.2	6.9	319.5
8/11/2014	6.0	19.2	8.0	86.7	73.7	6.8	325.2
8/11/2014	6.5	16.3	7.5	76.9	72.6	6.8	330.1
8/11/2014	7.0	14.7	6.2	61.4	72.5	6.8	333.1
8/11/2014	7.5	13.3	5.3	50.1	72.0	6.9	328.1
8/11/2014	8.0	12.3	4.3	39.7	72.0	7.0	325.7
8/11/2014	8.5	11.7	3.8	34.8	71.8	7.1	322.6
8/11/2014	9.0	11.3	3.3	29.9	71.7	7.1	317.8
8/11/2014	9.5	10.8	2.5	22.9	72.1	7.2	310.6
8/11/2014	10.0	10.4	1.6	14.5	73.9	7.3	300.9
8/11/2014	10.5	10.1	0.9	8.3	76.4	7.5	291.4
8/11/2014	11.0	9.9	0.6	5.3	77.8	7.5	278.7
8/11/2014	11.5	9.8	0.5	4.3	78.4	7.7	265.4
8/11/2014	12.0	9.8	0.5	4.1	78.7	7.7	249.9
8/11/2014	12.5	9.7	0.4	3.8	79.1	7.7	221.2
8/11/2014	13.0	9.7	0.4	3.9	80.5	7.7	195.9
8/11/2014	13.5	9.7	0.4	3.7	81.0	7.8	171.4
8/25/2014	0.1	24.3	8.3	98.5	75.3	7.0	346.0
8/25/2014	0.5	23.2	8.3	97.3	75.3	6.9	360.7
8/25/2014	1.0	22.9	8.4	97.4	75.1	6.9	359.9
8/25/2014	1.5	22.8	8.4	97.3	75.1	6.9	360.7
8/25/2014	2.0	22.7	8.4	97.1	75.1	6.9	361.0
8/25/2014	2.5	22.5	8.4	97.0	75.1	6.9	361.4
8/25/2014	3.0	22.3	8.3	95.8	75.0	6.9	361.8
8/25/2014	3.5	22.2	8.4	96.0	75.0	6.9	362.2
8/25/2014	4.0	22.0	8.4	95.5	75.0	6.9	362.4
8/25/2014	4.5	21.8	8.3	94.7	75.1	6.9	363.3
8/25/2014	5.0	21.6	8.2	92.9	74.9	6.9	364.7
8/25/2014	5.5	21.1	7.8	87.1	74.6	6.6	377.2
8/25/2014	6.0	19.9	7.2	79.4	73.8	6.4	383.9
8/25/2014	6.5	18.3	7.1	75.5	72.9	6.3	391.8
8/25/2014	7.0	16.1	6.1	61.6	72.4	6.1	398.2
8/25/2014	7.5	14.7	5.2	51.0	72.2	6.1	400.2
8/25/2014	8.0	13.4	4.2	39.9	72.0	6.0	401.8
8/25/2014	8.5	11.9	2.9	26.9	71.9	6.0	402.7
8/25/2014	9.0	10.8	1.2	10.5	75.4	6.0	400.7
8/25/2014	9.5	10.6	0.8	6.8	76.0	6.0	398.9

Wilson Lake Data Listing (2014)

Date	Depth	Temperature (°C)	Dissolved Oxygen (mg/L)	Dissolved Oxygen (% Saturation)	Specific Conductivity (μ S/cm)	pH (standard units)	Oxidation Reduction Potential (mV)
8/25/2014	10.0	10.5	0.6	5.7	75.8	6.1	395.8
8/25/2014	10.5	10.2	0.6	5.4	77.7	6.1	376.1
8/25/2014	11.0	10.0	0.6	5.7	83.4	6.2	273.0
8/25/2014	11.5	10.0	0.7	5.9	83.9	6.3	235.2
8/25/2014	12.0	9.9	0.7	6.1	84.1	6.3	204.1
8/25/2014	12.5	9.8	0.7	6.4	87.3	6.4	166.1
8/25/2014	13.0	9.8	0.8	6.8	87.7	6.4	124.2
8/25/2014	13.5	9.8	0.8	6.7	91.1	6.6	77.7
9/8/2014	0.1	24.1	8.0	94.6	75.5	7.2	333.7
9/8/2014	0.5	24.1	7.8	93.1	75.5	7.2	335.0
9/8/2014	1.0	24.1	7.8	93.3	75.6	7.2	335.9
9/8/2014	1.5	23.9	7.8	92.6	75.5	7.2	338.2
9/8/2014	2.0	23.9	7.8	92.6	75.5	7.2	339.3
9/8/2014	2.5	23.8	7.8	92.2	75.5	7.2	340.0
9/8/2014	3.0	23.7	7.8	92.4	75.4	7.2	341.4
9/8/2014	3.5	23.6	7.8	92.3	75.4	7.1	343.2
9/8/2014	4.0	23.3	7.9	92.4	75.6	7.1	346.9
9/8/2014	4.5	23.1	7.6	89.0	75.5	7.0	351.9
9/8/2014	5.0	22.8	7.7	88.7	75.5	6.8	358.2
9/8/2014	5.5	21.9	7.4	84.7	75.2	6.7	367.6
9/8/2014	6.0	20.3	6.7	73.8	74.4	6.4	380.5
9/8/2014	6.5	18.8	5.7	60.8	73.8	6.1	391.7
9/8/2014	7.0	17.1	4.8	50.2	73.4	6.0	396.8
9/8/2014	7.5	15.6	4.2	42.2	72.8	5.9	398.9
9/8/2014	8.0	14.3	3.4	32.7	72.6	5.9	400.9
9/8/2014	8.5	12.8	2.3	21.8	73.0	5.8	402.0
9/8/2014	9.0	11.5	1.2	10.8	74.8	5.8	401.1
9/8/2014	9.5	11.0	1.0	9.3	76.4	5.9	366.4
9/8/2014	10.0	10.8	1.1	9.7	78.6	6.0	238.1
9/8/2014	10.5	10.5	1.1	10.1	81.3	6.1	154.3
9/8/2014	11.0	10.3	1.2	10.6	85.5	6.2	91.3
9/8/2014	11.5	10.3	1.2	10.9	85.8	6.3	75.6
9/8/2014	12.0	10.2	1.3	11.4	86.7	6.3	64.3
9/8/2014	12.5	10.2	1.3	11.6	86.7	6.3	58.7
9/8/2014	13.0	10.2	1.3	11.7	86.7	6.4	54.9
9/8/2014	13.5	10.1	1.3	11.3	88.3	6.4	43.4
9/8/2014	14.0	10.1	1.3	11.3	88.8	6.4	35.7
9/8/2014	14.5	10.1	1.3	11.4	88.9	6.5	31.8
9/22/2014	0.1	18.2	8.9	94.0	75.0	7.0	346.8
9/22/2014	0.5	18.2	8.8	93.8	75.1	7.0	347.9
9/22/2014	1.0	18.2	8.8	93.1	75.1	7.0	348.3
9/22/2014	1.5	18.2	8.8	93.1	75.1	7.0	349.7
9/22/2014	2.0	18.2	8.8	93.1	75.1	7.0	351.4
9/22/2014	2.5	18.2	8.7	92.8	75.1	7.0	353.1
9/22/2014	3.0	18.2	8.8	92.8	75.1	7.0	354.3

Wilson Lake Data Listing (2014)

Date	Depth	Temperature (°C)	Dissolved Oxygen (mg/L)	Dissolved Oxygen (% Saturation)	Specific Conductivity (μ S/cm)	pH (standard units)	Oxidation Reduction Potential (mV)
9/22/2014	3.5	18.2	8.7	92.6	75.1	7.0	354.5
9/22/2014	4.0	18.2	8.8	92.8	75.1	7.0	354.9
9/22/2014	4.5	18.2	9.5	100.4	75.1	7.0	336.4
9/22/2014	5.0	18.2	8.8	93.2	75.1	7.0	309.4
9/22/2014	5.5	18.2	8.8	93.4	75.1	7.0	316.3
9/22/2014	6.0	18.2	8.8	93.4	75.0	7.0	320.5
9/22/2014	6.5	18.2	8.8	93.4	75.1	7.0	323.5
9/22/2014	7.0	18.2	8.8	93.4	75.1	7.0	325.0
9/22/2014	7.5	18.2	8.8	93.0	75.1	7.0	328.5
9/22/2014	8.0	18.1	8.6	90.6	75.1	6.9	331.9
9/22/2014	8.5	13.7	3.2	30.4	73.5	6.3	361.4
9/22/2014	9.0	12.8	1.5	14.2	73.5	6.0	360.7
9/22/2014	9.5	11.7	1.5	14.1	76.8	5.9	257.4
9/22/2014	10.0	10.8	1.6	14.7	83.5	6.1	188.0
9/22/2014	10.5	10.8	1.7	15.2	84.3	6.1	110.2
9/22/2014	11.0	10.5	1.8	16.1	87.4	6.2	87.8
9/22/2014	11.5	10.2	1.9	16.6	91.1	6.3	50.0
9/22/2014	12.0	10.2	1.9	16.5	92.0	6.3	37.4
9/22/2014	12.5	10.1	2.0	17.6	92.9	6.4	22.1
10/6/2014	0.1	16.8	9.9	102.2	75.7	6.7	306.6
10/6/2014	0.5	16.8	9.9	102.3	75.7	6.7	305.0
10/6/2014	1.0	16.8	9.8	101.0	75.7	6.7	303.7
10/6/2014	1.5	16.8	9.8	101.4	75.7	6.7	302.5
10/6/2014	2.0	16.8	9.8	100.5	75.7	6.7	301.1
10/6/2014	2.5	16.8	9.7	100.3	75.7	6.7	299.9
10/6/2014	3.0	16.8	9.8	100.4	75.7	6.7	298.9
10/6/2014	3.5	16.7	9.8	100.4	75.7	6.7	297.6
10/6/2014	4.0	16.7	9.8	100.7	75.7	6.8	297.2
10/6/2014	4.5	16.7	9.7	100.1	75.7	6.8	296.4
10/6/2014	5.0	16.7	9.8	100.4	75.7	6.8	295.7
10/6/2014	5.5	16.6	9.8	101.0	75.7	6.8	294.4
10/6/2014	6.0	16.6	9.8	100.5	75.7	6.8	293.9
10/6/2014	6.5	16.5	9.8	99.9	75.7	6.8	292.6
10/6/2014	7.0	16.5	9.7	99.1	75.7	6.8	292.2
10/6/2014	7.5	16.2	9.7	98.4	75.8	6.8	291.7
10/6/2014	8.0	16.2	9.7	98.8	75.7	6.8	292.9
10/6/2014	8.5	16.1	9.8	99.6	75.7	6.7	293.7
10/6/2014	9.0	15.6	9.3	93.7	75.7	6.8	296.1
10/6/2014	9.5	13.0	2.1	20.3	78.4	6.2	297.4
10/6/2014	10.0	11.8	2.3	20.8	82.9	6.1	213.5
10/6/2014	10.5	11.0	2.4	21.3	90.0	6.2	126.1
10/6/2014	11.0	10.7	2.7	24.5	92.7	6.2	92.9
10/6/2014	11.5	10.5	2.8	25.0	94.3	6.3	76.7
10/6/2014	12.0	10.4	2.6	23.3	94.5	6.3	66.8
10/6/2014	12.5	10.4	2.4	21.4	94.7	6.3	53.0

Wilson Lake Data Listing (2014)

Date	Depth	Temperature (°C)	Dissolved Oxygen (mg/L)	Dissolved Oxygen (% Saturation)	Specific Conductivity (μ S/cm)	pH (standard units)	Oxidation Reduction Potential (mV)
10/6/2014	13.0	10.3	2.5	22.2	96.0	6.4	42.1
10/6/2014	13.5	10.2	2.5	21.9	96.9	6.4	31.9
10/6/2014	14.0	10.2	2.4	21.7	97.7	6.4	21.7
10/6/2014	14.5	10.1	2.4	21.3	101.4	6.5	1.7